


- NOTES: 1. THIS FOUNDATION DRAWING AND NOTES ARE FOR REVIEW ONLY. ACTUAL FOUNDATION DESIGN MAY HAVE TO BE APPROVED BY A PROFESSIONAL ENGINEER OR A REGISTERED ARCHITECT. 2. ALL CONSTRUCTION AND MATERIALS BELOW THE BOTTOM OF THE FLOOR JOISTS IS THE RESPONSIBILITY OF THE BUILDER. FOUNDATION WALL, FOOTER, LOLLY COLUMNS & PADS ARE ALL TO BE DETERMINED ON-SITE IN ACCORDANCE WITH LOCAL CODES & CONDITIONS.

3. REINFORCED MASONRY UNIT REQUIRED AT CENTER BEARING LOCATIONS.
4. LOLLY COLUMNS ARE TO BE SPACED ACCORDING TO SPAN SCHEDULE BASED ON TYPE OF HOUSE, LOCAL SNOW LOAD & WIDTH OF UNIT. ADD'L COLUMNS MAY BE REQ'D & ARE NOTED ON FLOOR PLAN.
LOLLY COLUMN SPACING IS BASED ON 1/2"x6"x12" STEEL PLATE BETWEEN COLUMN & CENTER BEAM.

5. FOUNDATION SIZES REFLECT WOOD TO WOOD DIMENSIONS OF MODULAR UNITS, ALLOWING SHEATHING AND SIDING TO OVERHANG THE FOUNDATION. IF STYROFOAM IS USED FOUNDATION MAY BE INCREASED IN LENGTH AND WIDTH TO ACCOMODATE.

INCREASED IN LENGTH AND WIDTH TO ACCOMODATE. 7. PERIMETER FLOOR JOISTS TO BE ATTACHED TO SILL PLATE W/16d NAILS AT 16" O.C. 8. INSTALLATION OF WASHER, DRYER AND/OR WATER HEATER IN BASEMENT PER STATE AND LOCAL CODES IS THE RESPONSIBILITY OF MODULAR MANUFACTURERS, BUILDER. 9. SMOKE DETECTORS IN BASEMENT SHALL BE THE RESPONSIBILITY OF THE BUILDER TO PROVIDE AND INSTALL. (COIL WIRE IN BSMT BY MODULAR MANUFACTURERS, BUILDER. 10. CRAWL SPACE FOUNDATION REQUIRES A MINIMUM 18"x24" ACCESS OPENING, INSECT & RODENT PROOF CROSS VENTS WITHIN 3' OF CORNERS AND PROVIDE 1/150 OF FLOOR AREA WITH VENTILATION. 11. SEE MODULAR MANUFACTURERS' SUBMISSION SET PAGE FOR ADDITIONAL NOTES AND DETAILS.





7. 3 1/2" CEILING COVE THROUGHOUT, 3 1/4" BASE MOULDING THROUGHOUT.


6. WINDOW EXTERIOR: WHITE

11. KITCHEN APPLIANCES: STAINLESS STEEL 12. KITCHEN BACKSPLASH: OXFORD WHITE TILE 4"x12" SINGLE ROW BACKSPLASH

ELECTRICAL LEGEND	
<u> </u>	ELECTRIC PANEL
	METER
\(\)	LIGHT SWITCH
∾↔	3 WAY LIGHT SWITCH
4 0-	4 WAY LIGHT SWITCH
° <u>4</u>	SINGLE DIMMER
	LIGHT SWITCH 3 WAY DIMMER LIGHT SWITCH
Φ	110V DUPLEX RECEPTACLE
	110V DUPLEX RECEPTACE
●	SPLIT RECEPTACLE
⊕ WP GFI	EXTERIOR WP GFI OUTLET
₩ 	220V DUPLEX RECEPTACLE
φ	CEILING MOUNTED OUTLET
0	FLOOR OUTLET
₽	QUADRUPLEX RECEPTACLE
¢	STANDARD CEILING LIGHT
¢	PENDANT LIGHT
R	RECESSED LIGHT
	UNDER CABINET LIGHT
X X X	CHANDELIER LIGHT
Q	VANITY WALL MOUNT LIGHT
	WALL SCONCE
CEXT. WALL	EXTERIOR WALL LIGHT
\checkmark	SPOT LIGHT
$\langle \varphi \rangle$	MOTION LIGHT
	FLUORESCENT
\square	JUNCTION BOX
\otimes	EXHAUST FAN
EXHAUST FAN / LIGHT	EXHAUST FAN / LIGHT
COS EXHAUST FAN, LIGHT & HEAT	EXHAUST FAN, LIGHT & HEAT
	CEILING FAN OR FAN/LIGHT -SEE PLAN FOR INFO
SD AC/DC	SMOKE DETECTOR
SD/CO AC/DC	CO/SMOKE DETECTOR
TV	TV
riangle PH	PHONE
Н	HUMIDISTAT
Т	THERMOSTAT
E	ETHERNET
С	CABLE
DC	DOOR CHIME
0	DOORBELL
	EMERGENCY LIGHTING
EXIT	EXIT SIGN








REAR ELEVATION

RIGHT ELEVATION



LEFT ELEVATION

