

NOTES:

1. THIS FOUNDATION DRAWING AND NOTES ARE FOR REVIEW ONLY, ACTUAL FOUNDATION DESIGN MAY HAVE TO BE APPROVED BY A PROFESSIONAL ENGINEER OR A REGISTERED ARCHITECT.

2. ALL CONSTRUCTION AND MATERIALS BELOW THE BOTTOM OF THE FLOOR JOISTS IS THE RESPONSIBILITY OF THE BUILDER. FOUNDATION WALL, FOODTER, LOLLY COLLUMNS & PADS ARE ALL TO BE DETERMINED ON-SITE IN ACCORDANCE WITH LOCAL CODES & CONDITIONS.

3. REINFORCED MASONRY UNIT REQUIRED AT CENTER BEARING LOCATIONS.

4. LOLLY COLLUMNS ARE TO BE SPACED ACCORDING TO SPAN SCHEDULE BASED ON TYPE OF HOUSE, LOCAL SNOW LOAD & WIDTH OF UNIT. ADD'L COLLUMNS MAY BE REQ'D & ARE NOTED ON FLOOR PLAN. LOLLY COLLUMN SPACING IS BASED ON 1/2"x6"x12" STEEL PLATE BETWEEN COLUMN & CENTER BEAM.

5. FOUNDATION IS TO BE CONSTRUCTED IN ACCORDANCE WIALL APPLICABLE CODES.

6. FOUNDATION SIZES REFLECT WOOD TO WOOD DIMENSIONS OF MODULAR UNITS, ALLOWING SHEATHING AND SIDING TO OVERHANG THE FOUNDATION. IF STYROFOAM IS USED FOUNDATION MAY BE INCREASED IN LENGTH AND WIDTH TO ACCOMODATE.

7. PERIMETER FLOOR. JOINST SO DE ATTACHED TO SILL PLATE WISE MAILS AT 16" O C.


INCREASED IN LEWIST HAND WITH TO XECONIDATE.
7. PERIMETER FLOOR JOISTS TO BE ATTACHED TO SILL PLATE W/16d NAILS AT 16" O.C.
8. INSTALLATION OF WASHER, DRYER AND/OR WATER HEATER IN BASEMENT PER STATE AND LOCAL CODES IS THE RESPONSIBILITY OF MODULAR MANUFACTURERS, BUILDER.
9. SMOKE DETECTORS IN BASEMENT SHALL BE THE RESPONSIBILITY OF THE BUILDER TO PROVIDE AND INSTALL. (COIL WIRE IN BSMT BY MODULAR MANUFACTURER, INC)
10. CRAWL SPACE FOUNDATION REQUIRES A MINIMUM 18"x24" ACCESS OPENING, INSECT & RODENT PROOF CROSS VENTS WITHIN 3" OF CORNERS AND PROVIDE 1/150 OF FLOOR AREA WITH VENTILATION.

11. SEE MODULAR MANUFACTURERS' SUBMISSION SET PAGE FOR ADDITIONAL NOTES AND DETAILS.

BY: DATE: REVISION: DATE: BY: F 01/22/2024 SC 01/23/2024 SC 01/25/2024 SC 03/10/2024 SC 03/12/2024 SC 03/12/2024 SC REVISION: FOUNDATION PLAN esa customer:

SCALE:

N.T.S. SHEET:



1. HORIZONTAL SIDING: DARK BLUE 2. SHAKES: DARKER BROWN 3. STONES: BROWN

1. 2x6 EXTERIOR WALLS EXCEPT AS NOTED.
2. 2x4 INTERIOR WALLS EXCEPT AS NOTED.
3. 8'-0" CEILING HEIGHT 1ST FLOOR & 2ND FLOOR.

4. 7/12 NON-STORAGE ROOF EXCEPT AS NOTED.

UNIT 1: UNIT 2: UNIT 3: TOTAL BUILDING: 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 1,957.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 1,957.5 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 3,915 SQ.FT.

DATE: 
 REVISION:
 DATE:
 BY:
 REVISION:

 0
 01/22/2024
 SC

 1
 01/23/2024
 SC


 2
 01/25/2024
 SC

 3
 03/10/2024
 SC

 4
 03/12/2024
 SC
 FIRST FLOOR PLAN CUSTOMER: SCALE: N.T.S. SHEET:

BY:

DISCLAIMER: THESE DRAWINGS ARE ARTISTS RENDERINGS ONLY AND FINAL PROJECT MAY NOT BE IDENTICAL TO THAT SHOWN HERE. PROPRIETARY WORK PRODUCT AND PROPERTY OF EXPRESS HOMES, INC. DBA IMPRESA MODULAR AND DEVELOPED FOR THE EXCLUSIVE USE OF IMPRESA MODULAR. USE OF THESE DRAWINGS AND CONCEPTS CONTAINED THEREIN WITHOUT WRITTEN PERMISSION OF IMPRESA MODULAR IS PROHIBITED.




TOTAL BUILDING: UNIT 1: UNIT 2: UNIT 3: 1ST FLOOR: 1,957.5 SQ.FT. 2ND FLOOR: 1,957.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 3,915 SQ.FT.

ВҮ. DATE: REVISION: DATE: BY: REVISION: 0 01/22/2024 SC 1 01/23/2024 SC 2 01/25/2024 SC 3 03/10/2024 SC 3 03/10/2024 SC 4 03/12/2024 SC SECOND FLOOR PLAN CUSTOMER: MODULAR


SCALE:

N.T.S. SHEET:



## **FRONT ELEVATION**

ВҮ.





## **REAR ELEVATION**

ELEVATION 1586 WINCHESTER AVE.
MARTINSBURG, WV 25405
EAX: 877-419-2505 SCALE: N.T.S. SHEET:

BY.

DATE:






**LEFT ELEVATION RIGHT ELEVATION** 

ВҮ. DATE: **ELEVATIONS** Zresa customer: SCALE: N.T.S.

SHEET:



NOTES:

1. THIS FOUNDATION DRAWING AND NOTES ARE FOR REVIEW ONLY, ACTUAL FOUNDATION DESIGN MAY HAVE TO BE APPROVED BY A PROFESSIONAL ENGINEER OR A REGISTERED ARCHITECT.

2. ALL CONSTRUCTION AND MATERIALS BELOW THE BOTTOM OF THE FLOOR JOISTS IS THE RESPONSIBILITY OF THE BUILDER. FOUNDATION WALL, FOODTER, LOLLY COLLUMNS & PADS ARE ALL TO BE DETERMINED ON-SITE IN ACCORDANCE WITH LOCAL CODES & CONDITIONS.

3. REINFORCED MASONRY UNIT REQUIRED AT CENTER BEARING LOCATIONS.

4. LOLLY COLLUMNS ARE TO BE SPACED ACCORDING TO SPAN SCHEDULE BASED ON TYPE OF HOUSE, LOCAL SNOW LOAD & WIDTH OF UNIT. ADD'L COLLUMNS MAY BE REQ'D & ARE NOTED ON FLOOR PLAN. LOLLY COLLUMN SPACING IS BASED ON 1/2"x6"x12" STEEL PLATE BETWEEN COLUMN & CENTER BEAM.

5. FOUNDATION IS TO BE CONSTRUCTED IN ACCORDANCE WIALL APPLICABLE CODES.

6. FOUNDATION SIZES REFLECT WOOD TO WOOD DIMENSIONS OF MODULAR UNITS, ALLOWING SHEATHING AND SIDING TO OVERHANG THE FOUNDATION. IF STYROFOAM IS USED FOUNDATION MAY BE INCREASED IN LENGTH AND WIDTH TO ACCOMODATE.

7. PERIMETER FLOOR. JOINST SO DE ATTACHED TO SILL PLATE WISE MAILS AT 16" O C.

INCREASED IN LEWIST TO A WITH TO A COUNT DATE.

7. PERIMETER FLOOR JOISTS TO BE ATTACHED TO SILL PLATE W/16d NAILS AT 16" O.C.

8. INSTALLATION OF WASHER, DRYER AND/OR WATER HEATER IN BASEMENT PER STATE AND LOCAL CODES IS THE RESPONSIBILITY OF MODULAR MANUFACTURERS, BUILDER.


9. SMOKE DETECTORS IN BASEMENT SHALL BE THE RESPONSIBILITY OF THE BUILDER TO PROVIDE AND INSTALL. (COIL WIRE IN BSMT BY MODULAR MANUFACTURER, INC)

10. CRAWL SPACE FOUNDATION REQUIRES A MINIMUM 18"x24" ACCESS OPENING, INSECT & RODENT PROOF CROSS VENTS WITHIN 3" OF CORNERS AND PROVIDE 1/150 OF FLOOR AREA WITH VENTILATION.

11. SEE MODULAR MANUFACTURERS' SUBMISSION SET PAGE FOR ADDITIONAL NOTES AND DETAILS.

BY: REVISION: DATE: BY: F 01/22/2024 SC 01/23/2024 SC 01/25/2024 SC 03/10/2024 SC 03/12/2024 SC 03/12/2024 SC REVISION: FOUNDATION PLAN esa customer: SCALE: N.T.S.

SHEET:



COLORS:

1. HORIZONTAL SIDING: DARK BLUE 2. SHAKES: CLAY 3. STONES: BROWN

1. 2x6 EXTERIOR WALLS EXCEPT AS NOTED.
2. 2x4 INTERIOR WALLS EXCEPT AS NOTED.
3. 8'-0" CEILING HEIGHT 1ST FLOOR & 2ND FLOOR.

4. 7/12 NON-STORAGE ROOF EXCEPT AS NOTED.

UNIT 1: UNIT 2: UNIT 3: TOTAL BUILDING: 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 1,957.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 1,957.5 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 3,915 SQ.FT.  
 REVISION:
 DATE:
 BY:
 REVISION:
 0

 0
 01/22/2024
 SC
 5
 03

 1
 01/23/2024
 SC
 5
 03

 2
 01/25/2024
 SC
 5
 04


 3
 03/10/2024
 SC
 6
 6

 4
 03/12/2024
 SC
 6
 6
 FIRST FLOOR PLAN CUSTOMER: MODULAR

BY:

SCALE:

N.T.S. SHEET:



UNIT 1: UNIT 2: UNIT 3: TOTAL BUILDING:

1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 1ST FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 2ND FLOOR: 652.5 SQ.FT. 1OTAL AREA: 1,305 SQ.FT. TOTAL AREA: 1,305 SQ.FT. TOTAL AREA: 3,915 SQ.FT.

 SECOND
 0
 01/22/2024
 SC
 5
 03/13/2024
 SC

 FLOOR
 2
 01/25/2024
 SC
 5
 03/13/2024
 SC

 PLAN
 3
 03/10/2024
 SC
 C
 C
 C

 PLAN
 3
 03/12/2024
 SC
 C
 C
 C

CUSTOMER:
DULAR
WE.
ADDRESS:

impresa-Modular-1586 WINCHESTER AVE. MARTINSBURG, WV 25405 FAY: 877.419.2505

SCALE:

N.T.S. SHEET: